


MATERIAL SAFETY DATA SHEET

Platinum (IV) Oxide

NFPA 	HMIS <table border="1"><tr><td>HEALTH</td><td style="text-align: center;">2</td></tr><tr><td>FLAMMABILITY</td><td style="text-align: center;">0</td></tr><tr><td>REACTIVITY</td><td style="text-align: center;">2</td></tr><tr><td>PERSONAL PROTECTION</td><td style="text-align: center;">J</td></tr></table>	HEALTH	2	FLAMMABILITY	0	REACTIVITY	2	PERSONAL PROTECTION	J
HEALTH	2								
FLAMMABILITY	0								
REACTIVITY	2								
PERSONAL PROTECTION	J								

1. Product And Company Identification	
Supplier Colonial Metals, Inc. Building 20 505 Blue Ball Road Elkton, MD 21921 United States Company Contact: Michael Doss - Dir. of Regulatory Affairs Telephone Number: 410-398-7200 FAX Number: 410-398-2918 E-Mail: mdoss@colonialmetals.com Web Site: www.colonialmetals.com	Manufacturer Colonial Metals, Inc. Building 20 505 Blue Ball Road Elkton, MD 21921 United States Company Contact: Michael Doss - Dir. of Regulatory Affairs Telephone Number: 410-398-7200 FAX Number: 410-398-2918 E-Mail: mdoss@colonialmetals.com Web Site: www.colonialmetals.com
Supplier Emergency Contacts & Phone Number Chemtrac: 800-424-9300 World Wide - Call COLLECT to U.S: 703-527-3887	Manufacturer Emergency Contacts & Phone Number Chemtrac: 800-424-9300 World Wide - Call COLLECT to U.S: 703-527-3887
Issue Date: 03/07/2012 Product Name: Platinum (IV) Oxide Chemical Name: Adams catalyst CAS Number: 1314-15-4 Chemical Family: Platinum Group Metals Chemical Formula: PtO ₂ MSDS Number: 6007 Product Code: 6007 Synonyms Adams catalyst	

2. Composition/Information On Ingredients			
Ingredient Name	CAS Number	Percent Of Total Weight	
Platinum (IV) Oxide	1314-15-4	99 - 100	

EMERGENCY OVERVIEW
Oxidizer. Irritant.

3. Hazards Identification	
Primary Routes(s) Of Entry	
Eyes:	Likely
Inhalation:	Likely
Skin:	Likely

MATERIAL SAFETY DATA SHEET

Platinum (IV) Oxide

3. Hazards Identification - Continued

Primary Routes(s) Of Entry - Continued

Ingestion: Likely

Eye Hazards

Causes eye irritation.

Skin Hazards

May cause skin irritation. May be harmful if absorbed through the skin.

Ingestion Hazards

May be harmful if swallowed.

Inhalation Hazards

Causes respiratory tract irritation. May be harmful if inhaled.

Conditions Aggravated By Exposure

Any respiratory conditions such as asthma. Maintain housekeeping and personal hygiene to minimize exposure and prevent sensitization.

Conditions Aggravated By Overexposure

4. First Aid Measures

Eye

Flush for 15 minutes with plenty of water. If discomfort occurs or persists, contact a physician immediately..

Skin

Wash with soap and copious amounts of water. If discomfort occurs or persists, contact a physician immediately. Remove contaminated clothing and shoes and wash before reuse.

Ingestion

Wash out mouth with water provided victim is conscious. Never give anything by mouth to an unconscious person. Contact a physician immediately.

Inhalation

Remove to fresh air immediately. If victim is not breathing provide artificial respiration. Contact a physician immediately.

5. Fire Fighting Measures

Flash Point: NA °C

Autoignition Point: NA °C

Flammability Class: NA

Fire And Explosion Hazards

Finely divided platinum may ignite if contacted with flammable organic solvents. Powders may be subjected to self-heating if hydrogen or carbon monoxide are occluded.

Extinguishing Media

Water spray, foam, dry chemical or carbon dioxide.

Fire Fighting Instructions

Use NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

MATERIAL SAFETY DATA SHEET

Platinum (IV) Oxide

6. Accidental Release Measures

Sweep up (avoid dusting) or soak up with a wet paper towel or rag and place in a sealed container. Person protected with full face shield and proper respirator for dust. Ventilate area and wash spill site after pick up is complete.

7. Handling And Storage

Handling Precautions

Avoid contact with eyes, prolonged or repeated contact with skin. Avoid formation of dust and aerosols. Provide adequate ventilation. Keep away from ignition sources and combustible material.

Storage Precautions

Keep in a tightly sealed container in a cool, dry well ventilated place.

Work/Hygienic Practices

Use good personal hygiene. Wash thoroughly with soap and water after handling.

Other Precautions

0.01 ppm high efficiency particular respirator/supplied air respirator/self-contained breathing apparatus; 0.2 ppm same as above with full face piece; 1 ppm powdered air purifying respirator with high efficiency filter/type C supplied air respirator operated in pressure demand mode. Store in a sealed container, plastic or plastic liner, in a cool, well ventilated, dry area away from volatile acids.

8. Exposure Controls/Personal Protection

Engineering Controls

Ventilation: **Local Exhaust:** Required in handling area
Mechanical: Desirable to insure concentration of material below TLV/TWA levels
Other: Closed ventilation system (Laboratory fume hood)

Safety shower and eyewash

Eye/Face Protection

ANSI approved safety glasses/goggles, full face shield

Skin Protection

Rubber/Neoprene (use compatible chemical-resistant gloves)

Respiratory Protection

NIOSH approved chemical cartridge respiratory for dust/mist/fume/radionuclide or self-contained breathing apparatus with full face shield.

Other/General Protection

Lab coat/apron, flame and chemical resistant protective clothing, eye wash, safety shower, and hygiene facilities for washing

9. Physical And Chemical Properties

Appearance

Brown powder

Chemical Type: Mixture

Physical State: Solid

Melting Point: 842 °F Decomposes 450 °C

Specific Gravity: 10

Molecular Weight: 227.09

Solubility: Insoluble

MATERIAL SAFETY DATA SHEET

Platinum (IV) Oxide

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions To Avoid (Stability)

Temp. above 300C

Incompatible Materials

Organic materials and powdered metals.

11. Toxicological Information

Acute Studies

Oral

Rat

>8000 mg/kg

LD50

To the best of our knowledge, the chemical, physical, and toxicological properties of this compound have not been thoroughly investigated.

12. Ecological Information

No Data Available...

13. Disposal Considerations

Consult Federal EPA, State and local regulations for proper disposal/recycle/reclamation

NOTE: Chemical additions, processing, or otherwise altering this material may make the waste management information presented above incomplete, inaccurate, or otherwise inappropriate.

14. Transport Information

Proper Shipping Name

Oxidizing solid, n.o.s. (Platinum dioxide)

Hazard Class

5.1

DOT Identification Number

1479

Packaging Requirements

PG II

Additional Shipping Paper Description

IATA: Same as DOT regulations. Consult IATA regulations before shipping.

15. Regulatory Information

U.S. Regulatory Information

This chemical is TSCA listed.

Canadian Regulatory Information

This product has been classified in accordance with the hazard criteria of CPR, and the MSDS contains all the information required by the CPR.

European Union (EU) Regulatory Information

Indication of Danger: Irritant

MATERIAL SAFETY DATA SHEET

Platinum (IV) Oxide

15. Regulatory Information - Continued

European Union (EU) Regulatory Information - Continued

Symbol of Danger: Xi


R: 20, 38

Risk Phrase: Harmful by inhalation. Irritating to the skin.

S: 24/25, 36/37/39

Safety Phrase: Avoid contact with skin and eyes. Wear suitable protective clothing, gloves, and eye face protection.

NFPA



HMIS

HEALTH	2
FLAMMABILITY	0
REACTIVITY	2
PERSONAL PROTECTION	J

16. Other Information

Revision/Preparer Information

MSDS Preparer: Michael Doss - Dir. Reg. Affairs

MSDS Preparer Phone Number: 410-398-7200

This MSDS Supersedes A Previous MSDS Dated: 12/09/2003

Disclaimer

In compliance with the OSHA Hazard Communication Standard, 29 C.F.R 1910.1200, we are providing you with a Materials Safety Data Sheet (MSDS) for the hazardous material you are purchasing.

It is your responsibility to educate your employees on the safe use of the hazardous material. With this in mind, a copy should be forwarded to the supervisor of the user or to the user themselves, and copy should be retained in your files for future reference.

Colonial Metals, Inc. makes no presentation as to the accuracy of the information in the MSDS. The information is believed to be correct; however, you (the customer), should perform your own investigation and independent verification. If you resell the product, you are responsible to forward the information in the MSDS to your customer

Colonial Metals, Inc.

Printed Using MSDS Generator™ 2000