



MATERIAL SAFETY DATA SHEET

Ruthenium Red

Ru Rh Pd Ag Re Os Ir Pt Au

1. Product And Company Identification

Supplier Colonial Metals, Inc. Building 20 505 Blue Ball Road Elkton, MD 21921 United States Company Contact: Wayne Sher Telephone Number: 410-398-7200 FAX Number: 410-398-2918 E-Mail: wsher@colonialmetals.com Web Site: colonialmetals.com	Manufacturer Colonial Metals, Inc. Building 20 505 Blue Ball Road Elkton, MD 21921 United States Company Contact: Wayne Sher Telephone Number: 410-398-7200 FAX Number: 410-398-2918 E-Mail: wsher@colonialmetals.com Web Site: colonialmetals.com
Supplier Emergency Contacts & Phone Number Chemtrac: 800-424-9300 World Wide - Call COLLECT to U.S: 703-527-3887	Manufacturer Emergency Contacts & Phone Number Chemtrac: 800-424-9300 World Wide - Call COLLECT to U.S: 703-527-3887

Issue Date: 10/11/2010

Product Name: Ruthenium Red

Chemical Name: Ruthenium (III, IV) Chloride Oxide Ammoniated Hydrate, Ruthenium Red

CAS Number: 12790-48-6

Chemical Family: Platinum Group Metal Salts

Chemical Formula: Ru3O2(NH3)14Cl6.2H2O

MSDS Number: 8014

Product Code: 8014

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
Ruthenium Red	12790-48-6	91.5

EMERGENCY OVERVIEW

To the best of our knowledge the chemical, physical, and toxicological properties have not been thoroughly investigated. Avoid high temperature. May decompose ammonia and chlorine vapor.

3. Hazards Identification

Primary Routes(s) Of Entry

Inhalation: Likely

Skin: Likely

Ingestion: Likely

Eye Hazards

Irritation

Skin Hazards

Irritation

Ingestion Hazards

Irritation, nausea and diarrhea; poison is unlikely on a single exposure.

3. Hazards Identification - Continued**Ingestion Hazards - Continued**

Does not cause serious toxic manifestations.

Inhalation Hazards

Irritation and possibly difficulty in breathing

Conditions Aggravated By Exposure

May cause irritation of the respiratory system. Maintain housekeeping and personal hygiene to minimize exposure and prevent sensitization.

Conditions Aggravated By Overexposure

To the best of our knowledge, the chemical, the physical, and toxicological properties have not been thoroughly investigated.

4. First Aid Measures**Eye**

Flush for 15 minutes with plenty of water. If discomfort occurs or persists, contact a physician.

Skin

Flush area for 15 minutes with water and wash with soap and water. If discomfort occurs or persists, contact a physician. Remove contaminated clothing and shoes and wash before reuse.

Ingestion

Not expected to be a problem in industry. However if swallowed and discomfort occurs, contact a physician.

Inhalation

Remove to fresh air immediately. If discomfort occurs or persists, contact a physician.

5. Fire Fighting Measures

Flash Point Method: NA

Flammability Class: NA

Fire And Explosion Hazards

Use proper safety equipment. Can decompose to emit toxic ammonia and chlorine vapors.

Extinguishing Media

Use water spray, foam, carbon dioxide, or medium to fight primary source.

Fire Fighting Instructions

Use NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures

Sweep up or soak up solution and place in a sealed container, taking care to avoid dusting. Person protected with full face shield and proper respirator for dust. Ventilate area and wash spill site after pick up is complete.

7. Handling And Storage**Handling And Storage Precautions**

Avoid contact with eyes, prolonged or repeated contact with skin. Avoid breathing dust. Use compatible chemical resistant gloves. Wash hands thoroughly after handling.

Other Precautions

0.01 ppm high efficiency particular respirator/supplied air respirator/self-contained breathing apparatus; 0.2 ppm same as above with full face piece; 1 ppm powdered air purifying respirator with high efficiency filter/type C supplied air

Ruthenium Red**Ru Rh Pd Ag Re Os Ir Pt Au****7. Handling And Storage - Continued**

respirator operated in pressure demand mode. Store in a sealed container, plastic or plastic liner, in a cool, well ventilated, dry area away from volatile acids.

8. Exposure Controls/Personal Protection**Engineering Controls**

Ventilation: Local Exhaust: Required in handling area
Mechanical: Desirable to insure concentration of material below TLV/TWA levels
Other: Closed Ventilation system - Dust (Laboratory Fume Hood)

Eye/Face Protection

ANSI approved safety glasses/goggles

Skin Protection

Rubber/Neoprene (use compatible chemical-resistant gloves).

Respiratory Protection

Chemical cartridge respirator for dust/mist/fume/radionuclide or self-contained breathing apparatus with full face shield.

Other/General Protection

Lab coat/apron, flame and chemical resistant protective clothing, eye wash, safety shower, and hygiene facilities for washing.

9. Physical And Chemical Properties**Appearance**

Dark brown powder

Odor

Ammonical odor

Chemical Type: Mixture

Physical State: Solid

Melting Point: Decomposes °C

Boiling Point: NA °C

Specific Gravity: NE

Molecular Weight: 822.38

Vapor Pressure: NA

Vapor Density: NA

pH Factor: NA

Solubility: Soluble

Evaporation Rate: NA

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions To Avoid (Stability)

High temperature

Incompatible Materials

NE

MATERIAL SAFETY DATA SHEET



Ruthenium Red

Ru
Rh
Pd
Ag
Re
Os
Ir
Pt
Au

10. Stability And Reactivity - Continued
<u>Hazardous Decomposition Products</u> Ammonia & chlorine vapor
11. Toxicological Information
No Data Available...
12. Ecological Information
No Data Available...
13. Disposal Considerations
Place in sealed container. Consult Federal EPA, State and local regulations for proper disposal/recycle/reclamation NOTE: Chemical additions, processing, or otherwise altering this material may make the waste management information presented above incomplete, inaccurate, or otherwise inappropriate.
<u>RCRA Information</u> NL
14. Transport Information
No Data Available...
15. Regulatory Information
No Data Available...
16. Other Information
<u>Revision/Preparer Information</u> MSDS Preparer: Wayne Sher MSDS Preparer Phone Number: 410-398-7200 This MSDS Supersedes A Previous MSDS Dated: 03/15/1998
Disclaimer
<p>In compliance with the OSHA Hazard Communication Standard, 2.9 C.F.R 1910.1200, we are providing you with a Materials Safety Data Sheet (MSDS) for the hazardous material you are purchasing.</p> <p>It is your responsibility to educate your employees on the safe use of the hazardous material. With this in mind, a copy should be forwarded to the supervisor of the user or to the user themselves, and copy should be retained in your files for future reference.</p> <p>Colonial Metals, Inc. makes no presentation as to the accuracy of the information in the MSDS. The information is believed to be correct; however, you (the customer), should perform your own investigation and independent verification. If you resell the product, you are responsible to forward the information in the MSDS to your customer.</p> <p>Colonial Metals, Inc.</p>

Printed Using MSDS Generator™ 2000